



Tweaker Notes

V1 Pin 8 - Townshend/Who CP103 1k5 + 64uF
V1 Pin 8 - Late '70s, Late '80s and OL/Lead 1k5 + 150uF
V1 Pin 8 - SAP DR 103 2k2 + 100uF
V1 Pin 8 - Jimmy Page amp 2k2 + 100uF + additional parallel 1k5 resistor
V2 Pin 3 - Townshend /Who CP103 2k2 + 47nF
V2 Pin 3 - Page/SAP DR103 1k5 + 47nF
V4 - 12AX7 for increased drive.

REV.	DESCRIPTION	DATE	BY
1	added VR3 OD pull switch; optional 64uf on V1	13Jan09	SC
2	Updated to progressive power switch; changed OD switch to SPDT	19Jan09	SC
3	Updated connection to P1 from power rail, updated transformer spec to 700VCT	13Feb09	SC
4	Added 18V Zener & switch for 6V6 operation	24Mar09	SC
5	Changed OD control to 1M	24Mar09	SC
6	Version 1.0 - Connected B+ after D5	26Mar09	SC
7	Revised Relay Control	05May10	SC
8	Revised Drawing Organization only	11May11	SC
9	Added EX Power transformer for 120 VAC Mains	15May13	SC
10	Changed R16 22K to R23 due to to wrong part number	3Dec13	SC

Bias switch added; test points added
18V Zener added for 6V6 operation

THIS DESIGN PROPERTY OF TRINITY AMPS INC. FOR PERSONAL USE ONLY

Trinity Amps

CUSTOM TRIWATT LEAD

SIZE	FSCM NO	DWG NO	REV
			11
SCALE	1 : 1	Cohrs/Rowley	SHEET 2 OF 27